



ZONE OF CONFLICT DEFINED-AREA FROM THE BOTTOM OF THE SPECIFIED BEDDING TO THE TOP OF PIPE.

WATER SERVICE STATUS

1. SERVICE LOCATED OUTSIDE ZONE OF CONFLICT
2. SERVICE LOCATED IN ZONE OF CONFLICT, COMPLIES WITH THE PLUMBING CODE, AND IS NOT SPECIFIED TO BE LOWERED.
- * 3. SERVICE LOCATED IN ZONE OF CONFLICT, BUT PLUMBING CODE ENFORCEMENT WILL NOT ALLOW SIMPLE RELOCATION THEREOF.
4. SPECIAL CONDITION - SERVICE IS WITHIN 12" OF TOP OF SEWER & ALSO HAS LESS THAN 60" OF EARTH COVER TO FINISH GRADE.
5. SERVICE IS IN CONFLICT WITH PROPOSED INTAKE, WALLS OR OTHER STRUCTURES.
6. SERVICE REQUIRED TO BE LOWERED AS WELL AS RELOCATED.
7. EXISTING TAP DOES NOT COMPLY WITH PLUMBING CODE IN CASE 3 ABOVE.

CONTRACTOR'S RESPONSIBILITY

PROVIDE PROTECTION. IF DAMAGED, REPAIR IN COMPLIANCE WITH THE PLUMBING CODE.

RELOCATE BELOW SEWER AS DETAILED ABOVE.

CONSTRUCT NEW WATER SERVICE, PROVIDE MINIMUM CLEARANCE OF SEWER AS DETAILED ABOVE.

RELOCATE OR RECONSTRUCT AS SPECIFIED IN 2 AND 3 ABOVE WHICHEVER CASE APPLIES.

RELOCATE AROUND STRUCTURE TO MIN. CLEARANCE.

LOWER SERVICE-PROVIDE MINIMUM CLEARANCE TO SEWER PIPE AS ABOVE.

PROVIDE NEW TAP IF REQUIRED.

COMPENSATION INCIDENTAL TO OTHER WORK

BID ITEM-"RELOCATION OF WATER SERVICE"

BID ITEM-"NEW WATER SERVICE"

AS IN 2 OR 3 ABOVE WHICHEVER APPLIES.

AS IN 2 OR 3 ABOVE WHICHEVER APPLIES.

BID ITEM-"LOWER WATER SERVICE" OR "LOWER WATER SERVICE WITH NEW COPPER" WHICHEVER APPLIES.

CHANGE ORDER IF NOT BID ITEM.

* CONDITIONS - EXISTING LINE IS LEAD LINE, LESS THAN 3/4" DIA. OR GALVANIZED LINE.

1	01/25/01		RELOCATE WATER SERVICE IN CONFLICT WITH NEW SEWER		FIGURE: 5010.9
REV.	DATE	BY			SHEET 1 OF 1
DATE: 05-20-00					